





General Information

Fastener for creating a screw connection in combination with a nut or an existing thread.

Installation

Satisfies DIN 933

Material Properties

Halogen-free	0
UV-resistant	0

Material

Primary element material	steel
Surface finish	electro galvanized (Fe//Zn)
Corrosion protection class	C2

Forces

Type	V{Z,perm.}
SKT M 8X 20 DIN933 8.8	15,60 kN
SKT M 8X 25 DIN933 8.8	15,60 kN
SKT M 8X 30 DIN933 8.8	15,60 kN
SKT M 8X 40 DIN933 8.8	15,60 kN
SKT M 8X 60 DIN933 8.8	15,60 kN
SKT M 8X 80 DIN933 8.8	15,60 kN
SKT M 8X100 DIN933 8.8	15,60 kN
SKT M 8X110 DIN933 8.8	15,60 kN
SKT M10X 20 DIN933 8.8	24,70 kN
SKT M10X 25 DIN933 8.8	24,70 kN
SKT M10X 30 DIN933 8.8	24,70 kN
SKT M10X 40 DIN933 8.8	24,70 kN
SKT M10X 60 DIN933 8.8	24,70 kN
SKT M10X 80 DIN933 8.8	24,70 kN
SKT M10X100 DIN933 8.8	24,70 kN
SKT M10X120 DIN933 8.8	24,70 kN
SKT M12X 25 DIN933 8.8	35,90 kN
SKT M12X 30 DIN933 8.8	35,90 kN
SKT M12X 40 DIN933 8.8	35,90 kN

Type	V{Z,perm.}
SKT M12X 60 DIN933 8.8	35,90 kN
SKT M12X 80 DIN933 8.8	35,90 kN
SKT M12X100 DIN933 8.8	35,90 kN
SKT M12X120 DIN933 8.8	35,90 kN
SKT M16X 25 DIN933 8.8	66,70 kN
SKT M16X 30 DIN933 8.8	66,70 kN
SKT M16X 45 DIN933 8.8	66,70 kN
SKT M16X 60 DIN933 8.8	66,70 kN
SKT M16X 80 DIN933 8.8	66,70 kN
SKT M16X100 DIN933 8.8	66,70 kN
SKT M16X120 DIN933 8.8	66,70 kN

Types

Type	L	Weight	Quantity	Part number
SKT M 8X 20 DIN933 8.8	20,00 mm	0,012 kg/pcs.	100 pcs.	138459
SKT M 8X 25 DIN933 8.8	25,00 mm	0,014 kg/pcs.	100 pcs.	138431
SKT M 8X 30 DIN933 8.8	30,00 mm	0,015 kg/pcs.	100 pcs.	138574
SKT M 8X 40 DIN933 8.8	40,00 mm	0,019 kg/pcs.	100 pcs.	138440
SKT M 8X 60 DIN933 8.8	60,00 mm	0,024 kg/pcs.	100 pcs.	114705
SKT M 8X 80 DIN933 8.8	80,00 mm	0,032 kg/pcs.	100 pcs.	114714
SKT M 8X100 DIN933 8.8	100,00 mm	0,038 kg/pcs.	100 pcs.	138608
SKT M 8X110 DIN933 8.8	110,00 mm	0,041 kg/pcs.	100 pcs.	124975
SKT M10X 20 DIN933 8.8	20,00 mm	0,022 kg/pcs.	100 pcs.	138617
SKT M10X 25 DIN933 8.8	25,00 mm	0,024 kg/pcs.	100 pcs.	138468
SKT M10X 30 DIN933 8.8	30,00 mm	0,027 kg/pcs.	100 pcs.	138626
SKT M10X 40 DIN933 8.8	40,00 mm	0,033 kg/pcs.	100 pcs.	114158
SKT M10X 60 DIN933 8.8	60,00 mm	0,043 kg/pcs.	100 pcs.	138635
SKT M10X 80 DIN933 8.8	80,00 mm	0,054 kg/pcs.	50 pcs.	114723
SKT M10X100 DIN933 8.8	100,00 mm	0,063 kg/pcs.	50 pcs.	114732
SKT M10X120 DIN933 8.8	120,00 mm	0,073 kg/pcs.	50 pcs.	138644
SKT M12X 25 DIN933 8.8	25,00 mm	0,035 kg/pcs.	100 pcs.	138662
SKT M12X 30 DIN933 8.8	30,00 mm	0,039 kg/pcs.	100 pcs.	138477
SKT M12X 40 DIN933 8.8	40,00 mm	0,047 kg/pcs.	50 pcs.	138671
SKT M12X 60 DIN933 8.8	60,00 mm	0,062 kg/pcs.	50 pcs.	138680
SKT M12X 80 DIN933 8.8	80,00 mm	0,076 kg/pcs.	50 pcs.	138705

Type	L	Weight	Quantity	Part number
SKT M12X100 DIN933 8.8	100,00 mm	0,091 kg/pcs.	50 pcs.	138714
SKT M12X120 DIN933 8.8	120,00 mm	0,105 kg/pcs.	50 pcs.	114750
SKT M16X 25 DIN933 8.8	25,00 mm	0,071 kg/pcs.	50 pcs.	138723
SKT M16X 30 DIN933 8.8	30,00 mm	0,079 kg/pcs.	50 pcs.	138732
SKT M16X 45 DIN933 8.8	45,00 mm	0,098 kg/pcs.	50 pcs.	138741
SKT M16X 60 DIN933 8.8	60,00 mm	0,117 kg/pcs.	50 pcs.	138556
SKT M16X 80 DIN933 8.8	80,00 mm	0,147 kg/pcs.	25 pcs.	138750
SKT M16X100 DIN933 8.8	100,00 mm	0,172 kg/pcs.	25 pcs.	138769
SKT M16X120 DIN933 8.8	120,00 mm	0,198 kg/pcs.	25 pcs.	114778

Certification

